

Product:	Anti-17α-Boldenone Antibody					
Synonyms:	Not available					
Immunogen:	17α-Boldenone-BTG					
	1 mg PA	S9677	Host Species:	Ovis aries (Sheep)	Isotype:	IgG
Pack sizes: Cat. No.	10 mg PA	S9507	Host Breed:	Texel	Format:	Clear liquid
			Clonality:	Polyclonal	pH:	7.4
IgG Concentration: Lot dependent. Determined @ 280nm.		Buffer: 20mM Phosphate, 150mM Sodium Chloride.				
Recommended Working Concentration*: 0.125 µg/mL 'The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.			Preservative: 0.09% Sodium Azide.			
Assessment Method:			Species Reactivity:			
Competitive ELISA.			N/A			
Method of Purification:			Storage:			
Salt fractionation.			Can be stored for up to 3 months at +2°C - +8°C. For long term storage, aliquot and store at ≤-20 °C. Avoid repeated freeze/thaw cycles. Product should be protected from light exposure.			
Recommende	d Applications	<u> </u>	1			
The antibody is	s suitable for the	development of imr	nunoassays or imr	nunoaffinity purification	columns.	
Sensitivity:			Target Specificity*:			
10 ng/mL Alpha boldonone produces 94% inhibition in a competitive ELISA employing 17αBoldenone polyclonal antibody.			Data not available.			
Related Produ	ıcts:		l			
17α-Boldenone	e-HRP, HRP924	6, Kit size: 0.5 mL.				
Notes & Preca	utions:					
Antibody can be	affinity purified on	request. This product:	as supplied is intende	ed for research application	s only not for	use in theraneutic or

E UKAS

04-Apr-22

Information correct at time of going to print

request. Vial should be centrifuged briefly before opening to ensure all material is removed from the vial cap.

diagnostic applications without the expressed written authorization of Randox BioReagents. A safety data sheet (SDS) can be supplied upon