



## Anti-Cardiac Troponin I (cTnl) epitope 20-40 Antibody Fragments

Target:	Anti-Cardiac Troponin I (cTnI) epitope 20-40
Clone Name:	MC71.H6
Catalogue Number:	RAF9519
Description:	Recombinant single-chain variable fragment (scFv) <sup>1</sup> obtained from Sheep and expressed in an E. Coli to bind against human Cardiac Troponin I (cTnI) antigen.
Activity/ Specificity:	Tested positive against native cTnI antigen. Shows no cross-reactivity against a panel of nonspecific antigens including skeletal troponin I (sTnI).
Applications:	These fragments contain His and c-Myc fusion tags which may be used for detection or immobilisation. <sup>2</sup> Recombinant antibody fragments are suitable for use in ELISA immunoassays, biosensor applications, western blots, immunohistochemistry, flow cytometry, immunoaffinity purification and most other immunological methods*.
Size:	Approximately 35 kDa
Quantity:	1 mg
Concentration:	Typically >1mg/ml
Purity:	>90% assessed by SDS-PAGE.
Storage:	These fragments are stable at $4^{\circ}$ C. It is recommended that for storage over extended periods they are kept at $-20^{\circ}$ C and should not be subject to repeated freeze-thaw cycles.
Buffer:	1x PBS containing 0.09% sodium azide preservative.
Dilution Factor:	To be determined by end-user.

\* This product as supplied is intended for research applications only. It is not for use in therapeutic or diagnostic applications without the expressed written authorization of Randox Life Sciences.

## References:

- 1. Weisser NE, Hall JC. (2009) Applications of single-chain variable fragment antibodies in therapeutics and diagnostics. *Biotechnol Adv.* 27(4): 502-520.
- 2. Terpe, K. (2003) Overview of tag protein fusions: from molecular and biochemical fundamentals to commercial systems. *Applied Microbiol Biotechnol.* 60(5):523-33.

