

RX MONACO

A fully automated clinical chemistry analyser



A PHOTOMETRIC THROUGHPUT OF 170 TESTS PER HOUR


>> A CONVENIENT SOLUTION FOR LOW TO MID VOLUME CLINICAL CHEMISTRY TESTING

ANDOX			
_	_	_	
			monace

01	BENEFITS
04	SYSTEM OVERVIEW
05	TEST MENU
07	SOFTWARE
09	FEATURES AT A GLANCE
10	ORDERING INFORMATION
П	SPECIFICATIONS
13	THE RX SERIES
15	RANDOX - A GLOBAL DIAGNOSTIC SOLUTIONS PROVIDER
16	CONTACT US

>> BENEFITS

The RX monaco is a fully automated, discrete, random access clinical chemistry analyser capable of performing **routine & specialised testing** and emergency **STAT sampling**. At optimal configuration, the RX monaco performs **170 photometric tests per hour** providing cost effective, high quality testing for small to medium sized laboratories. Customers can choose between a benchtop system or add a stand to suit their unique circumstances. The RX monaco combines robust hardware and intuitive software with the **world leading RX series test menu for unrivalled performance**.



be tested externally.

A large number of chemistry tests can be carried out on one platform providing **consolidation opportunities and real cost savings.** ensuring accuracy of results and reducing the need for expensive repeats.

High quality results **save operator time** avoiding unnecessary additional costs of repeat testing reducing the possibility of patient misdiagnosis. Built in **inventory management** system automatically calculates remaining reagent volume and the number of tests available.

> Superior performance means minimal downtime and swift reporting of results.

0

QUALITY CONTROL

Developed to improve confidence in your results

Generation of **Levey-Jennings** charts, calibration curves and QC statistics for reliable results. Users can view QC history.

Auto QC interval enables automatic QC sampling to ensure reliable results.

Unrivalled QC capabilities puts **patient safety** at the centre of your laboratory.

24

FLEXIBILITY & VERSATILITY

Increased functionality maximises testing capabilities

12 wavelengths generated via diffraction grating (340-800nm) giving the RX monaco a wide range of testing capabilities ensuring a multitude of chemistries are possible on one system.

Rapid STAT testing is available via the emergency test functionality within the software.

Barcode readers for both sample and reagent identification. Windows® based software for ease of use.

COST SAVINGS

£

Smart technology designed to avoid additional costs

Minimal maintenance required, just **2 preventative maintenance** services per year means **less down time**

Extensive test menu allows consolidation of testing, the ability to run specific proteins removes the need for a separate nephelometry system

> Economic platform with low water consumption of only 5.5 litres per hour.



>> SYSTEM OVERVIEW



REAGENT & SAMPLE CAROUSEL

A cooled carousel containing 66 user-definable positions are available for samples and 20ml and 70ml reagent bottles - dedicated reagents are available from Randox. Integrated barcode identification ensures smooth recognition of patient samples and reagents. The S/RPT pipette has liquid level detection and collision detection and is rinsed inside and out to prevent carryover.



CUVETTES

120 semi-permanent reaction cuvettes lasting for 3-6 months. The reaction temperature is controlled by a water bath.



WASH STATION

A thorough 12 stage washing process with acid, alkali and pure water wash steps helps minimise contamination. The on-board cuvette checking function ensures only clean and viable reaction vessels are used. The combined reagent and sample pipette is rinsed inside and out with warm water to ensure effective cleansing.



MIXING SYSTEM

The mixing system comprises of a variable 5-speed Teflon coated stirrer to provide optimum mixing of sample, RI and R2 to ensure best performance. The stirrer is automatically rinsed with purified water to reduce carryover.

>> THE RX SERIES TEST MENU

CLINICAL

AUTOIMMUNE:

Complement Component 3 Complement Component 4 CRP Full Range (0.3-160mg/l) CRP High Sensitivity IgA IgE IgG IgM Rheumatoid Factor

BASIC METABOLIC PROFILE:

Calcium CO₂ Total Creatinine Enzymatic Creatinine (Jaffe) Glucose Potassium Sodium Urea

BONE PROFILE:

Alkaline Phosphatase Calcium Phosphorus Total Protein

CARDIAC:

Adiponectin Cholesterol CK-MB CK-NAC CRP Full Range (0.3-160mg/l) CRP High Sensitivity Direct HDL Cholesterol Direct LDL Cholesterol Homocysteine Lipoprotein (a) sLDL Triglycerides

COMPREHENSIVE

METABOLIC PROFILE: Albumin Alkaline Phosphatase ALT

AST (GOT) Direct Bilirubin Calcium CO₂ Total Creatinine Enzymatic Creatinine (Jaffe) Glucose Potassium Sodium Total Bilirubin Total Protein

DIABETES:

Urea

Adiponectin Cholesterol Creatinine Enzymatic Creatinine (Jaffe) Direct HDL Cholesterol Direct LDL Cholesterol Glucose HbA I c/Hb Microalbumin Total Protein Triglycerides

ELECTROLYTES:

Calcium CO₂ Total Magnesium Potassium (Non-Direct) Sodium (Non-Direct)

HAEMOLYTIC ANAEMIA:

LDH

HEPATIC FUNCTION:

Albumin Alkaline Phosphatase ALT AST (GOT) Bile Acids Cholinesterase Complement Component 3 Complement Component 4 Direct Bilirubin Gamma GT IgA IgE IgG IgM Iron LDH Total Bilirubin Total Protein

INFLAMMATION AND INFECTION:

ASO CRP Rheumatoid Factor

LIPIDS:

Apolipoprotein A-I Apolipoprotein AII Apolipoprotein B Apolipoprotein E Cholesterol Direct HDL Cholesterol Direct LDL Cholesterol Lipoprotein (a) sLDL Triglycerides

NEONATAL SCREENING:

CRP CRP Full Range (0.3-160mg/l) CRP High Sensitivity

NEUROLOGICAL

DISORDERS (CSF): IgA IgE IgG IgM

NUTRITIONAL STATUS:

Albumin Ferritin Iron Lipase Magnesium Potassium TIBC Transferrin

PANCREATIC FUNCTION:

Amylase Glucose LDH Lipase

RENAL FUNCTION:

Albumin Ammonia Beta-2 Microglobulin Calcium Chloride Creatinine Enzymatic Creatinine (Jaffe) Glucose HbA I c/Hb IgG LDH Magnesium Microalbumin Potassium Sodium Phosphorus (Inorganic) Urea Uric Acid

Product availability may vary from country to country. Please check with your local Randox representative.



- Albumin Alkaline phosphatase ALT (GPT) Amylase AST (GOT) Bilirubin Calcium Cholesterol Cholinesterase (Butyryl)
- CK-NAC CO₂ Total Creatinine Gamma-GT Glucose HDL Iron LDL Lipase

Magnesium Phosphorus (Inorganic) Potassium Sodium Total Protein Triglycerides Urea Uric Acid



SPECIFIC PROTEINS: Apolipoprotein A-I Apolipoprotein AII Apolipoprotein B Apolipoprotein E ASO Beta-2 Microglobulin

- Complement Component 3 Complement Component 4 CRP Full Range (0.3-160mg/l) CRP High Sensitivity Ferritin HbA1c/Hb IgA
- lgE lgG lgM Lipoprotein (a) Microalbumin Rheumatoid Facto Transferrin

RESEARCH

ANTIOXIDANTS: Albumin Bilirubin Ferritin TIBC Transferrin Uric Acid

>> SOFTWARE

The RX monaco is provided with familiar, Windows[®] based software and easily recognisable icons making it appealing and easy-to-use for all staff involved in its operation. Straightforward operation of the software results in minimal training requirements and enhanced productivity. The superior functionality of the quality control software generates Levey-Jennings charts and QC statistics for reliable patient results. LIMS (Laboratory Information Management System) connectivity is easily achievable via ASTM standard. Secure remote diagnostics is available to allow immediate support from expert technical and applications staff, anytime, anywhere.



REPORTS


The operator can easily search for previous reports and view real time results status, including time left until completion. The report layout is fully customisable plus reports can be previewed, edited and printed as required.



REAGENT INVENTORY


Remaining reagent volume is automatically calculated

on-board alongside the number of tests available and stability of the reagents. Should insufficient volume remain for any reagent, an alarm will sound, allowing the operator to resolve the situation.




CHEMISTRY PARAMETERS

The chemistry parameters screen enables sample pre-dilution to be set up and re-running of assays as required. From this screen the operator can also access 3 sub menus: analyse parameters, calibration parameters and range parameters.




RESULTS

Results are easily retrievable via various search options, for example by date or by test item. Laboratory staff can download and print results or transmit results to the LIMS system for all relevant clinicians to view.




MAINTENANCE

The operator is instructed via easy to follow steps on how to carry out daily, weekly, monthly and periodic maintenance. Daily maintenance takes only 5 minutes to do. The analyser has a countdown timer to show when routine servicing is due.



QUALITY CONTROL

The QC screen generates Levey-Jennings charts for a visual performance assessment, plus easy identification of QC errors and emerging trends. QC multi rules can be applied to ensure quick detection of errors and minimal false rejection.




RUN MONITOR

The run monitor displays full patient demographics. Users can view the status of samples in real time including time left to completion. This screen also indicates number of tests remaining before the run is due to finish.



CALIBRATION

The software displays the current valid calibration for each assay programmed, the reagent blank absorbance (if appropriate) and no calibration check interval shown. There are four calibration models available: I point, 2 point, multi-point and non-linearity method.



>> ORDERING & CUSTOMER SUPPORT

In choosing to purchase the RX monaco from Randox you are partnering with a company that has over 35 years' experience in the IVD industry and clinical chemistry analyser placements in over 120 countries worldwide. Customers needs vary and Randox sales staff and distributor partners will work with your laboratory to create a bespoke package to suit your requirements. Randox Laboratories provide customers with an unrivalled technical support service.

ORDERING INFORMATION

 RX monaco analyser (benchtop)	R×5000	
RX monaco analyser with stand	RX5001	

For more information contact your local representative, or email us at:

theRXseries@randox.com

>> SPECIFICATIONS

PHYSICAL DIMENSIONS

Height	517mm
Depth	752mm
Width	998mm
Weight	120kg

PERFORMANCE CHARACTERISTICS

Throughput	I 70 tests per hour constant speed	
Analyser type	Fully automated, discrete, random access bench-top clinical chemistry analyser	
Assay types	End-point, rate, 2 point assays	
Maintenance	Daily maintenance – probe & mixer wash/water bath exchange/cuvette check	

REAGENT & SAMPLE SYSTEM

Reagent & Sample capacity	Shared reagent & sample carousel with a total of 66 user defined positions (positions for reagents \geq 3, positions for samples \geq 9)	
Reagent cooling	5-15°C	
Reagent & sample Identification	Internal barcode scanner	
Reagent inventory	Test & report remaining reagent volume, linked to work list	
Reagent & sample pipette	Single reagent & sample pipette with digital liquid level detection & collision detection function, rinsed inside & out (warm water rinsing)	
Reagent container	20ml and 70ml	
Sample type	Serum, plasma, urine	
Sample volume	3-35µl (0.1µl increments)	
Sample dead volume	100µl in primary tubes	
STAT sampling	STAT priority function available	

REACTION SYSTEM

Reaction time	13 minutes
Reaction volume	Ι 50-550μΙ
Stirring speed	Independent stirring after reagent injection (Teflon coated)
Temperature control	Water bath

Water consumption	5.5 litres per hour	
Water requirements	NCCLS type I or 2 purified water supply at 0.5 bar pressure	
Cuvettes	120 semi-permanant optical plastic cuvettes, 6mm optical path. Life span: 3-6 months	
Cycletime	15 seconds	

OPTICAL SYSTEM

Incubator temperature	37°C ± 0.1°C	
Light source	Long life quartz halogen lamp (water cooled)	
Detection principal	I 2 wavelengths generated via diffraction grating: 340, 380, 405, 450, 480, 505, 546, 570, 600, 660, 700, 800nm	
Detector method	Direct absorbance in cuvette (monochromatic or bi-chromatic)	
Wavelength accuracy	±2nm	
Absorbance range	0 to 3.3 Abs	

CALIBRATION & QC

Calibration principal	I point, 2 point, multi-point, non-linearity method
Quality control	QC interval, monthly QC

OPERATING SYSTEM

External output	Standard RS-232C interface
Software	Windows®

POWER REQUIREMENTS

Power supply	240 VAC
	50Hz/60Hz
Power output	650VA









A semi-automated clinical chemistry analyser with the ability to run flow cell or cuvette mode. The RX misano offers 9 wavelengths spanning 340-700nm as standard, with an optional 280nm. A large 7" touch screen monitor responsive even when wearing lab gloves allows the user to easily navigate through the testing screens of the analyser. USB port allows to import Randox-defined test menus and export patient, QC and calibration results.



A fully automated, random access, benchtop clinical chemistry analyser with a throughput of 270 photometric tests per hour, increasing to 450 with the optional ISE unit. There are 12 wavelengths spanning 340-800nm and the RX daytona+ provides liquid level, clot and crash detection. Software is windows based and STAT sampling is available via an emergency loading port. The RX daytona+ offers superior performance for mid volume laboratories.







A fully automated, random access benchtop clinical chemistry analyser with a photometric throughput of 400 tests per hour increasing to 560 including ISE. There are 12 wavelengths spanning 340-800nm and the RX imola provides liquid level, clot, crash and bubble detection. Software is windows based and STAT sampling is available via an emergency loading port. The RX imola offers efficiency for medium sized laboratories.



A fully automated, random access, floor standing clinical chemistry analyser with a photometric throughput of 800 test per hour, increasing to 1200 including ISE. There are 13 wavelengths spanning 340-800nm and a fully automated onboard, haemolysis function for running HbA1c. Accurate results are supported by liquid level, clot, and crash detection.

The operating system utilises a modern touchscreen interface and Windows® icon based software.

>> RANDOX - A GLOBAL DIAGNOSTIC SOLUTIONS PROVIDER

Randox has been supplying laboratories worldwide with revolutionary diagnostic solutions for over 35 years. Our experience and expertise allow us to create a leading product portfolio of high quality diagnostic tools which offer reliable and rapid diagnosis. We believe that by providing laboratories with the right tools, we can improve health care worldwide.

REAGENTS

Randox offers an extensive range of diagnostic reagents, giving biochemistry laboratories the opportunity to advance their routine and niche testing.

The Randox reagents range goes beyond routine chemistries. At Randox we re-invest significantly in research and development to ensure we meet the ever changing needs of the laboratory. As a result, the esoteric reagents range from Randox is extensive and includes sLDL, Lipoprotein(a), H-FABP, Cystatin C, TxBCardio, Adiponectin, Bile Acids, Copper, D-3-Hydroxybutyrate, G-6-PDH, Non-Esterified Fatty Acids, Total Antioxidant Status and Zinc.

Randox Reagents provide a number of benefits for the laboratory: Cost savings through excellent stability, automated methods and standards supplied with some kits; confidence in results with high performance methods, minimal interferences and wide measuring ranges; convenience and choice with applications for over 100 biochemistry analysers; liquid ready-to-use reagents, a wide range of kit sizes and complementary controls and calibrators.

ACUSERA

Randox is a world leading manufacturer of multi-analyte, true third party controls. Thousands of laboratories rely on us to accurately assess test system performance and ultimately empower them with the confidence required to release patient test results. With more than 390 analytes available across the Acusera range we can uniquely reduce the number of individual controls required while simultaneously reducing costs, time and storage space. A choice of formats are available, including liquid or lyophilised, ensuring flexibility and suitability for laboratories of all sizes and budgets.

Some of our principle products include Clinical Chemistry, Immunoassay, Urine, Immunology/Proteins, Cardiac Markers and Therapeutic Drugs among others. As a primary manufacturer, Randox are also able to offer the unique service of custom made controls.

riqas

Boasting over 45,000 participants and more than 360 parameters across 32 comprehensive & flexible EQA programmes, RIQAS is the largest international EQA scheme. Designed to cover all areas of clinical testing, each of our multi-analyte programmes benefit from a wide range of concentrations, frequent reporting, rapid feedback and informative yet user-friendly reports.

BIOCHIP ARRAY TECHNOLOGY

Biochip Array Technology (BAT) is an innovative assay technology for multi-analyte screening of biological samples in a rapid, accurate and easy to use format. BAT offers highly specific tests, coupled to highly sensitive chemiluminescent detection, providing quantitative results in easy to interpret reports. Randox BAT assays offer diagnostic, prognostic and predictive solutions across a variety of disease areas including sexually transmitted infection, cardiovascular disease (CVD), familial hypercholesterolemia (FH), colorectal cancer and respiratory infection.

Contact us for more information on any of our products and services:

Head Quarters

Randox Laboratories Ltd, 55 Diamond Road, Crumlin, County Antrim, BT29 4QY, United Kingdom 🖀 +44 (0) 28 9442 2413 🕱 marketing@randox.com 🖋 randox.com/clinical-chemistry-analysers/

International Offices



AUSTRALIA Randox (Australia) Pty Ltd. Tel: +61 (0) 2 9615 4640



CZECH REPUBLIC Randox Laboratories S.R.O. Tel: +420 2 1115 1661

1 HONG KONG Randox Laboratories Hong Kong Limited Tel: +852 3595 0515



POLAND Randox Laboratories Polska Sp. z o.o. Tel: +48 22 862 1080



Randox Teoranta Tel: +353 7495 22600



Randox Korea Tel: +82 (0) 31 478 3121

UAF Randox Medical Equipments Trading LLC Tel: +971 55 474 9075

BRAZIL Randox Brasil Ltda. Tel: +55 || 5|8|-2024

FRANCE Laboratoires Randox Tel: +33 (0) 130 18 96 80



Tel: +39 06 9896 8954

PORTUGAL Irlandox Laboratorios Quimica Analitica Ltda Tel: +351 22 589 8320

> SI OVAKIA Randox S.R.O. Tel: +421 2 6381 3324

÷. SPAIN Laboratorios Randox S L Tel: +34 93 475 09 64



Randox Laboratories-US, Ltd. Tel: +1 304 728 2890



GERMANY Randox Laboratories GmbH Tel: +49 (0) 215 1937 0611

۲ INDIA

Randox Laboratories India Pvt Ltd. Tel: +91 80 2802 5000

PUERTO RICO Clinical Diagnostics of Puerto Rico, LLC Tel: +1 787 701 7000

SOUTH AFRICA Randox Laboratories SA (Pty) Ltd. Tel: +27 (0) || 3|2 3590



SWITZERI AND Randox Laboratories Ltd. (Switzerland) Tel: +41 41 810 48 89

VIETNAM Randox Laboratories Ltd. Vietnam Tel: +84 (0) 8 3911 0904

For technical support contact: technical.services@randox.com





CE

LT406 MAR21

Copyright © 2021 Randox Laboratories Ltd. All rights Reserved. VAT number: GB 151 6827 08. In EU VAT number: XI 151 6827 08. Product availability may vary from country to country. Some products may be for Research Use Only. For more information on product application and availability, please contact your local Randox Representative.