

Anti-Plasminogen Activator Inhibitor-1 (PAI-1) Recombinant Antibody Fragments

Target: Anti-Plasminogen Activator Inhibitor-1 (PAI-1)

Clone name: 1040.1F6

Catalogue Number: RAF9326

Description: Recombinant single-chain variable fragment (scFv)¹ obtained from

Sheep and expressed in an E. Coli to bind against Plasminogen Activator

Inhibitor-1 (PAI-1) antigen.

Activity/ Specificity: Tested positive against PAI-1 antigen. Cross-reactivity checked against

a panel of known cross-reactants and non-specific antigens.

Applications: These fragments contain His and c-Myc fusion tags which may be used

for detection or immobilisation.² Recombinant antibody fragments are suitable for use in ELISA immunoassays, biosensor applications, western blots, immunohistochemistry, flow cytometry, immunoaffinity

purification and most other immunological methods*.

Size: Approximately 35 kDa

Quantity: 1 mg

Concentration: Typically >1mg/ml

Purity: >90% assessed by SDS-PAGE.

Storage: These fragments are stable at 4°C. It is recommended that for storage

over extended periods they are kept at -20°C and should not be subject

to repeated freeze-thaw cycles.

Buffer: 1x PBS containing 0.09% sodium azide preservative.

Dilution Factor: To be determined by end-user.

References:

- 1. Weisser NE, Hall JC. (2009) Applications of single-chain variable fragment antibodies in therapeutics and diagnostics. Biotechnol Adv. 27(4): 502-520.
- 2. Terpe, K. (2003) Overview of tag protein fusions: from molecular and biochemical fundamentals to commercial systems. *Applied Microbiol Biotechnol*. 60(5):523-33.



^{*} This product as supplied is intended for research applications only. It is not for use in therapeutic or diagnostic applications without the expressed written authorization of Randox Life Sciences.